



TECHNO INDIA GROUP PUBLIC SCHOOL

Dt. 01-04-2025

NEET Mock Test -2 (2025)


Time Allowed: **3 hours**

Maximum Marks: **720**





General Instructions:

1. This test will be a 3 hours Test, Maximum Marks 720.
2. This test consists of 180 questions of Physics, Chemistry and Biology. All questions are COMPULSORY to attempt.
3. Each question is of 4 marks.
4. There are three parts in the question paper, consisting Part-I Physics (Q. No. 1 to 45), Part-II Chemistry (Q. no. 46 to 90), Part-III Biology (Q. no. 91 to 180).
5. There will be only one correct choice in the given four choices for each question. For each question 4 marks will be awarded for correct choice, 1 mark will be deducted for incorrect choice and zero mark will be awarded for unattempted question.
6. Any textual, printed or written material, mobile phones, calculator, etc. is not allowed for the students appearing for the test.
7. All calculations / written work should be done in the rough sheet provided.

PHYSICS

1.	<p>A particle of mass m is attached to three identical massless springs of spring constant k as shown in the figure. The time period of vertical oscillation of the particle is</p>						
							
①	$2\pi\sqrt{\frac{m}{k}}$	②	$2\pi\sqrt{\frac{m}{2k}}$	③	$2\pi\sqrt{\frac{m}{3k}}$	④	$\pi\sqrt{\frac{m}{k}}$
2.	<p>A spring of force constant k is cut into three equal parts. The force constant of each part would be</p>						
①	$k/3$	②	$3k$	③	k	④	$2k$
3.	<p>A body floats in water with 40% of its volume outside water. When the same body floats in oil, 60% of its volume remains outside oil. The relative density of the oil is</p>						
①	0.9	②	1.2	③	1.5	④	1.8
4.	<p>Two solid spheres of same metal but of mass M and $8M$ fall simultaneously on a viscous liquid and their terminal velocities are v and nv, then value of n is</p>						
①	16	②	8	③	4	④	2
5.	<p>A particle is executing linear simple harmonic motion of amplitude A. At what displacement is the energy of the particle half potential and half kinetic?</p>						
①	$\frac{A}{4}$	②	$\frac{A}{2}$	③	$\frac{A}{\sqrt{2}}$	④	$\frac{A}{\sqrt{3}}$
6.	<p>The equation of a progressive wave is $y = 4\sin\left(4\pi t - 0.04x + \frac{\pi}{3}\right)$ where x is in meter and t is in second. The velocity of the wave is</p>						
①	100π m/s	②	50π m/s	③	25π m/s	④	π m/s
7.	<p>A longitudinal wave is represented by $x = A\sin 2\pi\left(nt - \frac{x}{\lambda}\right)$. The maximum particle velocity will be four times the wave velocity of $\lambda =$</p>						
①	$\frac{\pi A}{4}$	②	$2\pi A$	③	$\frac{\pi A}{2}$	④	$4\pi A$
8.	<p>Two black bodies at temperatures 327°C and 427°C are kept in an evacuated chamber at 27°C. The ratio of their rates of loss of heat are</p>						
①	$\frac{6}{7}$	②	$\left(\frac{6}{7}\right)^2$	③	$\left(\frac{6}{7}\right)^3$	④	$\frac{243}{464}$

9.	Moment of inertia of a ring of mass M and radius R about a tangent to the circle of the ring is ① $\frac{5}{2}MR^2$ ② $\frac{3}{2}MR^2$ ③ $\frac{MR^2}{2}$ ④ MR^2
10.	If the escape velocity of a planet is 3 times that of the earth and its radius is 4 times that of the earth, then mass of planet is ① $12M$ (earth) ② $9M$ (of earth) ③ $36M$ (of earth) ④ $24M$ (of earth)
11.	Two bodies of mass 1 kg and 3 kg have a position vectors $(\hat{i} + 2\hat{j} + \hat{k})$ and $(-3\hat{i} - 2\hat{j} + \hat{k})$ respectively. The centre of mass of this system has a position vector ① $-2\hat{i} - \hat{j} + \hat{k}$ ② $2\hat{i} - \hat{j} - 2\hat{k}$ ③ $-\hat{i} + \hat{j} + \hat{k}$ ④ $-2\hat{i} + 2\hat{k}$
12.	A simple pendulum performs S.H.M about $x = 0$ with an amplitude a and time period T . The speed of the pendulum at $x = \frac{a}{2}$ will be ① $\frac{\pi a}{T}$ ② $\frac{3\pi^2 a}{T}$ ③ $\frac{\pi a\sqrt{3}}{T}$ ④ $\frac{\pi a\sqrt{3}}{2T}$
13.	Each of the two strings of length 51.6 cm and 49.1 cm are tensioned separately by 20 N force. Mass per unit length of both the strings is same and equal to 1 g/m. When both the strings vibrate simultaneously the number of beats is ① 7 ② 8 ③ 3 ④ 5
14.	The driver of a car travelling with speed 30 m/s towards a hill sounds horn of frequency 600 Hz. If the velocity of sound in air is 330 m/s, the frequency of reflected sound as heard by driver is ① 555.5 Hz ② 720 Hz ③ 500 Hz ④ 550 Hz
15.	A wave in a string has an amplitude of 2 cm. The wave travels in the +ve direction of x -axis with a speed of 128 m/s and it is noted that 5 complete waves fit in 4 m length of the string. The equation describing the wave is ① $y = (0.02)\sin(15.7x - 2010t)$ ② $y = (0.02)\sin(15.7x + 2010t)$ ③ $y = (0.02)\sin(7.85x - 1005t)$ ④ $y = (0.02)\sin(7.85x + 1005t)$
16.	A circular disc rolls down an inclined plane. The ratio of rotational kinetic energy to total kinetic energy is ① $\frac{1}{2}$ ② $\frac{1}{3}$ ③ $\frac{2}{3}$ ④ $\frac{3}{4}$
17.	For an object through at 45° to horizontal, the maximum height (H) and horizontal range (R) are related as ① $R = 16H$ ② $R = 8H$ ③ $R = 4H$ ④ $R = 2H$
18.	A particle is projected with certain velocity at two different angles of projections with respect to horizontal plane so as to have same range R on a horizontal plane. If t_1 and t_2 are the time taken for the two paths, then which one of the following relations is correct? ① $t_1 t_2 = \frac{2R}{g}$ ② $t_1 t_2 = \frac{R}{g}$ ③ $t_1 t_2 = \frac{R}{2g}$ ④ $t_1 t_2 = \frac{4R}{g}$

19.	The acceleration a of a particle starting from rest varies with time according to relation $a = \alpha t + \beta$. The velocity of particle ① $\frac{\alpha t^2}{2} + \beta$ ② $\frac{\alpha t^2}{2} + \beta t$ ③ $\alpha t^2 + \frac{1}{2}\beta t$ ④ $\frac{\alpha t^2 + \beta}{2}$
20.	A ball is thrown vertically upward. Ignoring the air resistance, which one to the following plot represent the velocity time plots for the period ball remains in air? ①  ②  ③  ④ 
21.	The ratio of the vapour densities of two gases at a given temperature is 9 : 8. the ratio of the r.m.s. velocities of their molecules is ① $3:2\sqrt{2}$ ② $2\sqrt{2}:3$ ③ 9 : 8 ④ 8 : 9
22.	The mean kinetic energy of one mole gas per degree of freedom is ① $\frac{1}{2}kT$ ② $\frac{3}{2}kT$ ③ $\frac{3}{2}RT$ ④ $\frac{1}{2}RT$
23.	A carnot engine working between 450 k and 600 k has a work output of 300 J per cycle. The amount of heat energy supplied to the engine from the source in each cycle is ① 1200 J ② 800 J ③ 1600 J ④ 3200 J
24.	According to Newton's law of cooling, the rate of colling is proportional to $(\Delta\theta)^n$, where $\Delta\theta$ is the temperature difference between the body and the surroundings and n is equal to ① three ② two ③ one ④ four
25.	A black body at a high temperature T radiates energy at the rate of U (in W/m^2) when the temperature falls to half (i.e. $T/2$), the radiated energy (in W/m^2) will be ① $\frac{U}{8}$ ② $\frac{U}{16}$ ③ $\frac{U}{4}$ ④ $\frac{U}{2}$
26.	A thin lens of glass ($\mu = 1.5$) of focal length +10 cm is immersed in water ($\mu = 4/3$). The new focal length is ① 20 cm ② 40 cm ③ 48 cm ④ 12 cm

27.	R, L, C represent the physical quantities resistance, inductance and capacitance respectively. Which one of the following combinations has dimension of frequency? ① $\frac{1}{\sqrt{RC}}$ ② $\frac{R}{L}$ ③ $\frac{1}{LC}$ ④ $\frac{C}{L}$
28.	A metallic wire of resistance 12Ω is bent to form a square. The resistance between two diagonal points would be ① 12Ω ② 24Ω ③ 6Ω ④ 3Ω
29.	A lead-acid battery of a car has an emf of 12 V . If the internal resistance of the battery is 0.5 ohm , the maximum current that can be drawn from the battery will be ① 30 A ② 20 A ③ 6 A ④ 24 A
30.	If two parallel metal wires carry current in opposite directions ① the wires attract each other ② the wires repel each other ③ the wires experience neither attraction nor repulsion ④ the wires may attract each other.
31.	100π phase difference = $n \times$ path difference then $n =$ ① 50λ ② 100λ ③ 10λ ④ 25λ
32.	What will be the angle of diffraction for the first order maximum due to diffraction by a single slit of width 0.50 mm , using light of wavelength 500 nm ? ① $1.5 \times 10^{-4} \text{ rad}$ ② $1.5 \times 10^{-3} \text{ rad}$ ③ $1 \times 10^{-3} \text{ rad}$ ④ $3 \times 10^{-3} \text{ rad}$
33.	The photo electric effect represents that ① proton has a wave nature ② electron has a wave nature ③ light has a particle nature ④ none of these
34.	For an electron in the second orbit of Bohr's Hydrogen atom, the moment of linear momentum is ① $\frac{2h}{\pi}$ ② $\frac{h}{\pi}$ ③ $n\pi$ ④ $2\pi h$
35.	The current gain of a transistor in common base mode is 0.9 . If the change in the emitter current is 5 mA , the change in the collector current will be ① 5.6 mA ② 0 mA ③ 4 mA ④ 4.5 mA
36.	A resistor of $R = 6 \Omega$, an inductor of $L = 1 \text{ H}$ and a capacitor of $C = 17.36 \mu\text{F}$ are connected in series with an A.C source. Then the Q -factor is ① 2.37 ② 80 ③ 3.72 ④ 40
37.	A short bar magnet experiences a torque of magnitude 0.64 J when it is placed in a uniform magnetic field of 0.32 T , making an angle of 30° with the direction of the field. The magnetic moment of the magnet is ① 6 Am^2 ② 4 Am^2 ③ 2 Am^2 ④ none of these
38.	The magnifying power of a telescope is m . If the focal length of the eye-piece is halved, then its magnifying power is ① $\frac{1}{2m}$ ② $4m$ ③ $2m$ ④ $m/2$

39.	The unit of magnetic moment is ① Am^{-2} ② Am^{-1} ③ TJ^{-2} ④ JT^{-1}
40.	Two similar cells, whether joined in series or in parallel, have the same current through an external resistance of $2\ \Omega$. The internal resistance of each cell is ① $0.5\ \Omega$ ② $1.5\ \Omega$ ③ $1\ \Omega$ ④ $2\ \Omega$
41.	The relation between the intensity of the electric field of an electric dipole at a distance r from its centre on its axis and the distance r is (where $r \gg 2a$) ① $E \propto \frac{1}{r^4}$ ② $E \propto \frac{1}{r^3}$ ③ $E \propto \frac{1}{r}$ ④ $E \propto \frac{1}{r^2}$

■ Assertion Reason based Questions:

Directions: Read the following questions and choose any one of the following four responses.

A: Assertion and Reason both are correct and Reason is the correct explanation of Assertion.




B: Assertion and Reason both are correct and Reason is not the correct explanation of Assertion.






C: Assertion is correct but Reason is wrong.











D: Assertion is wrong but Reason is correct.



42.	Assertion: For a particle in SHM, if the amplitude of the displacement is a and the amplitude of velocity is v , the amplitude of acceleration is $\frac{v^2}{a}$. Reason: Maximum acceleration is $2a\omega$. ① A ② B ③ C ④ D
43.	Assertion: n_1 is the frequency of the pipe closed at one end and n_2 is the frequency of the pipe open at both ends. If both are joined end to end, the fundamental frequency of closed pipe so formed is $\frac{n_1 n_2}{n_2 + 2n_1}$. Reason: $n_1 = \frac{v}{4l_1}$; $n_2 = \frac{v}{2l_2}$; $l = l_1 + l_2 = \frac{v}{4n}$ ① A ② B ③ C ④ D
44.	Assertion: Time taken by light to travel through glass slab of thickness t and $r \cdot i$ μ is $\frac{\mu t}{C_0}$. Reason: Time taken = $\frac{\text{optical path length}}{\text{speed of light in air}}$ ① A ② B ③ C ④ D
45.	Assertion: The de-Broglie wavelength of an electron in the ground state of H-atom is $(1.06)(\pi)\ \text{\AA}$. Reason: $2\pi r = n \frac{h}{mv} = n\lambda$ and at $n = 1$, $r_n = 0.53\ \text{\AA}$ ① A ② B ③ C ④ D

CHEMISTRY


46.	The correct order regarding the electro negativity of hybrid orbitals of carbon is: ① $sp > sp^2 > sp^3$ ② $sp < sp^2 > sp^3$ ③ $sp < sp^2 < sp^3$ ④ $sp > sp^2 < sp^3$
47.	I.U.P.A.C. name of the following is: $CH_2 = CH - CH_2 - CH_2 - C \equiv CH$, ① 1, 5-hexenyne ② 1-hexene-5-yne ③ 1-hexyne-5-ene ④ 1, 5-hexynene
48.	Consider the following compounds: <div style="display: flex; justify-content: space-around; align-items: center; margin: 10px 0;"> <div style="text-align: center;"> $\begin{array}{c} CH_3 \\ \\ H_3C - C - \dot{C}H - \text{C}_6H_5 \\ \\ CH_3 \end{array}$ (I) </div> <div style="text-align: center;"> $\begin{array}{c} Ph \\ \\ Ph - C - Ph \\ \\ \cdot \end{array}$ (II) </div> <div style="text-align: center;">  (III) </div> </div> <p>Hyper conjugation occurs in:</p> ① II only ② III only ③ I and III ④ I only
49.	In which of the following molecules, all atoms are co-planar? <div style="display: flex; justify-content: space-around; align-items: center; margin: 10px 0;"> <div style="text-align: center;"> $\begin{array}{c} H_3C \\ \diagdown \\ C = C \\ \diagup \\ H_3C \end{array} \begin{array}{c} CN \\ \diagdown \\ C \\ \diagup \\ CN \end{array}$ ① </div> <div style="text-align: center;">  ② </div> <div style="text-align: center;">  ③ </div> <div style="text-align: center;">  ④ </div> </div>
50.	The radius of second Bohr orbit of Be^{3+} in terms of the Bohr radius a_0 . ① $\frac{2a_0}{3}$ ② $\frac{4a_0}{3}$ ③ a_0 ④ $\frac{2a_0}{9}$
51.	Which among the following has more number of lone pairs on central atom ? ① XeF_4 ② SiF_4 ③ SF_4 ④ BF_4^\ominus
52.	Freezing point is least for : ① 0.1 m urea ② 0.1 m NaCl ③ 0.1 m $BaCl_2$ ④ 0.1 m glucose
53.	Given below are two statements : Statement-I : One Faraday always deposits /liberates one mole of any substance at appropriate electrode. Statement-II : On dilution of acetic acid solution its molar conductance decreases where as its specific conductance increases. In the light of the above statements choose the most appropriate answer from the options given below: ① Both Statement-I and Statement-II are true ② Statement-I is false and Statement-II is true ③ Statement-I is true and Statement-II is false ④ Both statement-I & Statement-II are false
54.	The difference between ΔH and ΔU , ($\Delta H - \Delta U$) when the combustion of one mole of methane is carried out at a room temperature 'T' is equal to : ① $-4 RT$ ② $3 RT$ ③ $4 RT$ ④ $-2 RT$
55.	90% of the first order reaction is completed in 120 sec. The time required for 99% of the reaction to be completed in minutes is : ① 200 ② 360 ③ 4 ④ 8

63.	The oxidation potential of hydrogen electrode with pH = 10 ① -0.295V ② +0.59V ③ -0.059V ④ +0.059V										
64.	Radio active Lanthanide is ① Th ② Gd ③ Pm ④ Eu										
65.	Least acidic among the following is ① chloroacetic acid ② acetic acid ③ phenol ④ propanoic acid										
66.	 Here 'B' is ①  ②  ③  ④ 										
67.	Oxidation states of bromine in tribromooxide (Br_3O_8) are ① +6, +4, +6 ② +6, +4, +2 ③ +4, +6, +2 ④ +6, +2, +4										
68.	Assertion (A) : For a single chiral carbon containing alkyl halide, substitution takes place at chiral centre, ' $\text{S}_{\text{N}}1$ ' reaction leads to racemisation. Reason (R) : The attack of the nucleophile may be accomplished from either side of the plane of the intermediate carbocation formed in the reaction. ① Both A and R are correct; R is the correct explanation of A ② Both A and R are correct; R is not the correct explanation of A ③ A is correct; R is incorrect ④ R is correct ; A is incorrect										
69.	Which of the following VIA group hydride is thermally most stable ? ① H_2Te ② H_2Se ③ H_2S ④ H_2O										
70.	Match List I with List II. <table style="width: 100%; border: none;"> <thead> <tr> <th style="text-align: center;">List-I (Compound)</th> <th style="text-align: center;">List-II (Shape)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">(A) XeF_6</td> <td style="text-align: center;">(i) Distorted octahedral</td> </tr> <tr> <td style="text-align: center;">(B) NH_3</td> <td style="text-align: center;">(ii) Square planar</td> </tr> <tr> <td style="text-align: center;">(C) BrF_5</td> <td style="text-align: center;">(iii) Pyramidal</td> </tr> <tr> <td style="text-align: center;">(D) ICl_4^-</td> <td style="text-align: center;">(iv) Square pyramidal</td> </tr> </tbody> </table> Choose the correct answer from the options given below : ① A-i, B-iii, C-iv, D-ii ② A-i, B-ii, C-iv, D-iii ③ A-iv, B-iii, C-i, D-ii ④ A-iv, B-i, C-ii, D-iii	List-I (Compound)	List-II (Shape)	(A) XeF_6	(i) Distorted octahedral	(B) NH_3	(ii) Square planar	(C) BrF_5	(iii) Pyramidal	(D) ICl_4^-	(iv) Square pyramidal
List-I (Compound)	List-II (Shape)										
(A) XeF_6	(i) Distorted octahedral										
(B) NH_3	(ii) Square planar										
(C) BrF_5	(iii) Pyramidal										
(D) ICl_4^-	(iv) Square pyramidal										


71.	Non polar molecule with polar bonds is ① Cl_2 ② H_2O ③ BF_3 ④ N_2
72.	 ① 4-methoxy-6-nitrocyclohexene - 1 ② 5-methoxy-3-nitrocyclohexene - 1 ③ 3-nitro-1-methoxycyclohexene - 4-ene ④ 3-nitro-5-methoxycyclohexene - 1
73.	Assertion (A) : Nitration of benzene with nitric acid requires the use of concentrated sulphuric acid. Reason (R) : The mixture of concentrated sulphuric acid and concentrated nitric acid produces the electrophile, NO_2^+ ① Both A and R are correct; R is the correct explanation of A ② Both A and R are correct; R is not the correct explanation of A ③ A is correct; R is incorrect ④ R is correct; A is incorrect
74.	Which among the following is least electronegative? ① B ② Al ③ Ga ④ In
75.	Iodoform test is not given by ① Ethanal ② Ethanol ③ Diphenyl ketone ④ Dimethyl ketone
76.	Which of the following pairs of ions are isoelectronic and isostructural? ① CO_3^{2-}, SO_3^{2-} ② ClO_3^{2-}, CO_3^{2-} ③ SO_3^{2-}, NO_3^{2-} ④ ClO_3^-, SO_3^{2-}
77.	Predict the products in the given reaction.  ①  +  ②   ③   ④  

78.	Among the following amines, the strongest base is 
79.	When H_2S is passed through a mixture containing Cu^{+2} , Ni^{+2} and Zn^{+2} in acidic solution then, the ion that will precipitate is (1) Cu^{+2} , Ni^{+2} only (2) Ni^{+2} only (3) Cu^{+2} , Zn^{+2} only (4) Cu^{+2} only
80.	Lassaigne's test is not applicable to (1) NH_2CONH_2 (2) $\text{NH}_2 - \text{NH}_2$ (3) NH_2CSNH_2 (4) $\text{C}_6\text{H}_5\text{NH}_2$
81.	A salt solution on treatment with H_2SO_4 (dilute) gives out a gas which turns $\text{K}_2\text{Cr}_2\text{O}_7$ paper green and lead acetate paper black. The salt contains (1) Carbonate (2) Chloride (3) Nitrate (4) Sulphide
82.	Which of the following actinoids show oxidation states up to +7 ? (1) Am (2) Pa (3) U (4) Np
83.	K_{sp} of AgCl is $8 \times 10^{-12} \text{M}^2$. The molar solubility of AgCl in 0.1M AgNO_3 solution is (1) $8 \times 10^{-12} \text{M}$ (2) $8 \times 10^{-13} \text{M}$ (3) $8 \times 10^{-10} \text{M}$ (4) $8 \times 10^{-11} \text{M}$
84.	Which of the following graphs correctly represent the first order reaction, $\text{R} \rightarrow \text{P}$? 
85.	Write the IUPAC name of the coordination compound $\text{Fe}_4[\text{Fe}(\text{CN})_6]_3$. (1) Iron (II) hexacyanidoferrate (II) (2) Iron (III) hexacyanidoferrate (II) (3) Iron (II) hexacyanoferrate (III) (4) Iron (II) hexacyanoiron (III)
86.	An organic compound 'A' on treatment with benzene sulphonyl chloride gives compound B. B is soluble in dil NaOH solution. The compound 'A' is (1) $(\text{CH}_3)_3\text{N}$ (2) $(\text{CH}_3)_2\text{NH}$ (3) $(\text{CH}_3)_2\text{N}(\text{C}_2\text{H}_5)$ (4) $\text{CH}_3 - \text{NH}_2$
87.	Assertion (A) : Oxidising power increases in order : $\text{VO}_2^+ < \text{Cr}_2\text{O}_7^{2-} < \text{MnO}_4^-$ Reason (R) : it is due to the increasing stability of lower species to which they are easily reduced. (1) Both A and R are correct; R is the correct explanation of A (2) Both A and R are correct; R is not the correct explanation of A (3) A is correct; R is incorrect (4) R is correct ; A is incorrect

88. In the given reaction, I and II are respectively




89. The correct order of stability of the following resonance structures




- ① III > II > I ② I > II > III ③ II > I > III ④ I > III > II


90. Predict the major product of the following reaction.



Choose the option with appropriate products from the codes given below .



BIOLOGY**Botany**

91.	The one aspect which is not a salient feature of genetic code, is its being ① specific ② degenerate ③ ambiguous ④ universal
92.	At 5' end of polynucleotide chain, ① -OH group is attached ② Phosphate group is attached ③ Pentose sugar is attached ④ -H bond is present
93.	<p>Represented below is the inheritance pattern of a certain type of traits in human. Which one of the following conditions could be an example of this pattern?</p> <p>① Phenylketonuria ② Sickle-cell anaemia ③ Haemophilia ④ Thalassamia</p> 
94.	A normal-visioned man whose father was colourblind, marries a woman whose father was also colourblind. They have their first child as a daughter. What are the chances that this child would be colourblind? ① 100% ② 0% ③ 25% ④ 50%
95.	<p>Given below are two statements, one is labelled as Assertion (A) and the other is labelled as Reason (R). Choose the correct option:</p> <p>Assertion (A): Amphibians have evolved from fishes. Reason (R): <i>Archaeopteryx</i> is a fossil linking fishes and amphibians.</p> <p>① Both A and R are correct and R is the correct explanation of A. ② Both A and R are correct but R is not the correct explanation of A. ③ A is correct but R is not correct ④ A is not correct but R is correct</p>
96.	<p>Choose the correct statement with reference to organic evolution.</p> <p>I. Flippers of whale and wings of bat show analogy. II. Wings of butterfly and wings of bird show homology. III. Organs with dissimilar structure are called analogous organs. IV. Organs with similar structure and origin are called homologous organs.</p> <p>① I and II ② II and IV ③ I and III ④ III and IV</p>
97.	<p>Similarities in organisms with different polymers indicate—</p> <p>① microevolution ② macroevolution ③ convergent evolution ④ divergent evolution</p>

98.	In a stable ecosystem, which of the following limits the number of trophic levels? ① Biomass ② Number of nutrients ③ Availability of nutrients ④ Presence of contaminants that increase in concentration along the food chain																																																						
99.	Secondary productivity is rate of formation of new organic matter by ① parasite ② consumer ③ decomposer ④ producer																																																						
100.	The upright pyramid of number is absent in ① pond ② forest ③ lake ④ grassland																																																						
101.	Given below are two statements, one is labelled as Assertion (A) and the other is labelled as Reason (R) . Choose the correct option: Assertion (A): The problem of acid rain has dramatically increased due to industrialisation. Reason (R): Industries are responsible for most of the emission of oxides of sulphur and nitrogen. ① Both A and R are correct and R is the correct explanation of A. ② Both A and R are correct but R is not the correct explanation of A. ③ A is correct but R is not correct ④ A is not correct but R is correct																																																						
102.	Match the following Column I with Column II. <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th colspan="2">Column I</th> <th colspan="2">Column II</th> </tr> </thead> <tbody> <tr> <td>A.</td> <td>Zooplankton</td> <td>1.</td> <td>0.003 ppm</td> </tr> <tr> <td>B.</td> <td>Small fishes</td> <td>2.</td> <td>2 ppm</td> </tr> <tr> <td>C.</td> <td>Water</td> <td>3.</td> <td>25 ppm</td> </tr> <tr> <td>D.</td> <td>Fish eating birds</td> <td>4.</td> <td>0.04 ppm</td> </tr> <tr> <td>E.</td> <td>Big fishes</td> <td>5.</td> <td>0.5 ppm</td> </tr> </tbody> </table> <p>Codes</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tbody> <tr> <td></td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> <td>E</td> </tr> <tr> <td>①</td> <td>2</td> <td>1</td> <td>4</td> <td>5</td> <td>3</td> </tr> <tr> <td>②</td> <td>4</td> <td>5</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>③</td> <td>4</td> <td>5</td> <td>3</td> <td>2</td> <td>1</td> </tr> <tr> <td>④</td> <td>4</td> <td>5</td> <td>1</td> <td>3</td> <td>2</td> </tr> </tbody> </table>	Column I		Column II		A.	Zooplankton	1.	0.003 ppm	B.	Small fishes	2.	2 ppm	C.	Water	3.	25 ppm	D.	Fish eating birds	4.	0.04 ppm	E.	Big fishes	5.	0.5 ppm		A	B	C	D	E	①	2	1	4	5	3	②	4	5	1	2	3	③	4	5	3	2	1	④	4	5	1	3	2
Column I		Column II																																																					
A.	Zooplankton	1.	0.003 ppm																																																				
B.	Small fishes	2.	2 ppm																																																				
C.	Water	3.	25 ppm																																																				
D.	Fish eating birds	4.	0.04 ppm																																																				
E.	Big fishes	5.	0.5 ppm																																																				
	A	B	C	D	E																																																		
①	2	1	4	5	3																																																		
②	4	5	1	2	3																																																		
③	4	5	3	2	1																																																		
④	4	5	1	3	2																																																		
103.	Find out the mismatched pair: <table border="1" style="margin-left: auto; margin-right: auto;"> <tbody> <tr> <td>(a)</td> <td>C₄ plants</td> <td>1.</td> <td>Kranz anatomy</td> </tr> <tr> <td>(b)</td> <td>Primary CO₂ fixation product of C₄ plants</td> <td>2.</td> <td>OAA</td> </tr> <tr> <td>(c)</td> <td>Primary CO₂ acceptor of C₃ plants</td> <td>3.</td> <td>RuBP</td> </tr> <tr> <td>(d)</td> <td>C₃ plants</td> <td>4.</td> <td>Maize</td> </tr> </tbody> </table>	(a)	C ₄ plants	1.	Kranz anatomy	(b)	Primary CO ₂ fixation product of C ₄ plants	2.	OAA	(c)	Primary CO ₂ acceptor of C ₃ plants	3.	RuBP	(d)	C ₃ plants	4.	Maize																																						
(a)	C ₄ plants	1.	Kranz anatomy																																																				
(b)	Primary CO ₂ fixation product of C ₄ plants	2.	OAA																																																				
(c)	Primary CO ₂ acceptor of C ₃ plants	3.	RuBP																																																				
(d)	C ₃ plants	4.	Maize																																																				

109.	Botanical name of peat moss is ① <i>Sphagnum</i> ② <i>Funaria</i> ③ <i>Anthoceros</i> ④ <i>Polytrichum</i>
110.	Which one of the following is an algal parasite? ① <i>Volvox</i> ② <i>Ulothrix</i> ③ <i>Porphyra</i> ④ <i>Cephaleuros</i>
111.	Ribosomes are essential for protein synthesis, but they are present in mitochondria and plastids, the sites of respiration and photosynthesis, respectively. What is the role of ribosomes in these organelles? ① Ribosomes transport ATP formed in respiration and photosynthesis to cytoplasm through ER ② Subunits of some required proteins are synthesised in these organelles ③ Ribosomes transport RNA and DNA to cytoplasm ④ All of the above
112.	How many chromosomes will the cell have at G ₁ , after S and after M-phase, respectively, if it has 14 chromosomes at interphase? ① 14, 14, 7 ② 14, 14, 14 ③ 7, 7, 7 ④ 7, 14, 14
113.	Replication of centriole occurs during ① interphase ② prophase ③ late prophase ④ late telophase
114.	A fibrous root system is excellent for ① food storage ② nitrogen fixation ③ absorbing water from deeper layers of soil ④ providing good anchorage to the plant
115.	Pineapple fruit develops from ① unilocular polycarpellary flower ② multipistillate syncarpous flower ③ multilocular monocarpellary flower ④ a cluster of compactly borne flowers on an axis
116.	Read I-IV and tell the correct order of components from outer side to inner side in a woody dicot stem. I. Secondary cortex II. Wood III. Secondary phloem IV. Phellem Codes ① III, IV, II, I ② I, II, IV, III ③ IV, I, III, II ④ IV, III, I, II
117.	Select the characters which are not applicable to the anatomy of dicot roots. I. Conjunctive tissue present II. Presence of protein compounds in casparian strips III. Polyarch xylem bundles IV. Presence of pericycle Codes ① I and II ② II and IV ③ III and IV ④ II and III

118.	The process of finding the age of a tree by counting the annual rings is called— ① dendrochronology ② ageing ③ chronology ④ countrology
119.	Vascular bundle having phloem in the centre, encircled by xylem is called ① bicollateral ② conjoint collateral ③ amphivasal ④ ampicribal
120.	Which one of the following is not a lateral meristem? ① Intrafascicular cambium ② Interfascicular cambium ③ Phellogen ④ Intercalary meristem
121.	ATP is a ① nucleotide ② nucleosome ③ nucleoside ④ purine base
122.	Macromolecule chitin is ① phosphorus containing polysaccharide ② sulphur containing polysaccharide ③ nitrogen containing polysaccharide ④ simple polysaccharide
123.	Raphe is a ① part of flower ② funicle attached to ovule ③ ridge formed by funiculus ④ part of nucellus
124.	Nucellus form which of the following part of a fruit? ① Seed coat ② Perisperm ③ Seed ④ Endosperm
125.	What is the direction of micropyle in an anatropous ovule? ① Upward ② Inverted ③ Right ④ Left
126.	Photolysis of each water molecule in light reaction yields: ① 2 electrons and 4 protons ② 4 electrons and 4 protons ③ 2 electrons and 2 protons ④ 1 electron and 2 protons
127.	C ₄ -plants differ from C ₃ -plants with respect to: ① number of ATP used ② substrate, which accepts the CO ₂ molecules ③ the final product ④ number of ATP formed
128.	Which of the following cells do not respire? ① Epidermal cell ② Cork cell ③ RBC ④ Sieve tube cells
129.	Given below are two statements, one is labelled as Assertion (A) and the other is labelled as Reason (R) . Choose the correct option: Assertion (A): Endosperm is haploid in gymnosperm Reason (R): In Cycas, stem is usually branched ① Both A and R are correct and R is the correct explanation of A. ② Both A and R are correct but R is not the correct explanation of A. ③ A is correct but R is not correct ④ A is not correct but R is correct

130.	Coralloid root is the feature of ① <i>Cycas</i> ② Mosses ③ <i>Pinus</i> ④ <i>Selaginella</i>
131.	Smallest unit in the plant cell wall is ① Micelle ② Microfibril ③ Fibril ④ None of the above
132.	Colchicine arrests spindle at ① Anaphase ② Prophase ③ Telophase ④ Metaphase
133.	Which of the following is not a stem modification? ① Thorns of citrus ② Tendrils of cucumber ③ Flattened structures of <i>Opuntia</i> ④ Pitcher of <i>Nepenthes</i>
134.	Pollination by bats is called ① Anaemophily ② Hydrophily ③ Ornithophily ④ None of the above
135.	The number of cells in the endospermic cell is 36. What will be the number of chromosomes in root tip cells? ① 9 ② 18 ③ 12 ④ 24

Zoology

136.	Hiccups can be best described as ① forceful sudden expiration ② jerky incomplete inspiration ③ vibration of the soft palate during breathing ④ sign of indigestion
137.	Which of the following changes (I-IV) usually tend to occur in the plain dwellers when they move to high altitudes, say 3500m or more? I. Increase in red blood cell size II. Increase in red blood cell production III. Increased breathing rate IV. Increase in thrombocyte count Changes occurring are ① II and III ② III and IV ③ I and IV ④ I and II
138.	Battery of artificial pacemaker is built of ① nickel ② lithium ③ photosensitive material ④ dry calcium
139.	Oval depression or fossa is observed over ① interatrial septum ② interventricular septum ③ right auriculo ventricular septum ④ left auriculoventricular septum

140.	<p>Statement A: When urine moves through the descending limb, it becomes hypertonic and as it passes through the ascending limb of Henle's loop, it becomes hypotonic.</p> <p>Statement B: The descending limb is permeable to sodium ions, while the ascending limb is impermeable to sodium ions.</p> <p>① Both statements A and B are correct ② Both statements A and B are incorrect</p> <p>③ Statement A is correct, B is incorrect ④ Statement B is correct, A is incorrect</p>
141.	<p>Given below are two statements, one is labelled as Assertion (A) and the other is labelled as Reason (R). Choose the correct option:</p> <p>Assertion (A): Process of maintaining a constant internal environment is homeostasis.</p> <p>Reason (R): Kidneys are excretory and homeostatic organs.</p> <p>① Both A and R are correct and R is the correct explanation of A.</p> <p>② Both A and R are correct but R is not the correct explanation of A.</p> <p>③ A is correct but R is not correct.</p> <p>④ A is not correct but R is correct.</p>
142.	<p>Progressive degeneration of skeletal muscle, mostly due to genetic disorders, occurs in</p> <p>① myasthania gravis ② muscular dystrophy ③ tetany ④ osteoporosis</p>
143.	<p>Which of the following is/are made up of a single bone in mammals?</p> <p>① Dentary ② Hyoid ③ Upper jaw ④ All of the above</p>
144.	<p>Which function will be lost due to damage of occipital lobe?</p> <p>① Hearing ② Speech ③ Vision ④ Memory</p>
145.	<p>Which centre is stimulated during increase in body temperature?</p> <p>① Anterior hypothalamus ② Posterior hypothalamus</p> <p>③ Limbic system ④ Medulla oblongata</p>
146.	<p>Bartholin's glands of the female correspond to which glands in males?</p> <p>① Cowper's glands ② Inguinal gland ③ Rectal gland ④ Prostate gland</p>
147.	<p>TCytoplasm of ovum does not contain—</p> <p>① Golgi body ② centrosomes ③ mitochondria ④ ribosomes</p>
148.	<p>A change in the amount of yolk and its distribution in the egg will affect</p> <p>① formation of zygote ② pattern of cleavage</p> <p>③ number of blastomeres produced ④ fertilisation</p>
149.	<p>The embryo at 16-celled stage is called—</p> <p>① morula ② blastula ③ gastrula ④ blastomere</p>
150.	<p>Notochord, skeletal system and dermis of the skin are the derivatives of-</p> <p>① ectoderm ② mesoderm ③ endoderm ④ All</p>

177.	Frogs differ from humans in possessing ① paired cerebral hemispheres ② hepatic portal system ③ nucleated RBCs ④ All of the above
178.	Which of the following diseases is caused by a protozoan? ① Syphilis ② Influenza ③ Babesiosis ④ Blastomycosis
179.	BOD may not be a good index for pollution in water bodies receiving effluents from ① domestic sewage ② petroleum industry ③ dairy industry ④ sugar industry
180.	Which is correct regarding genetically engineered insulin using E. coli ? ① Difficult to purify ② Obtained in large unlimited quantities ③ Possibility of transmission of animal diseases ④ Insulin obtained varies in chemical structure

